GENERAL VASCULITIS LAB TEST TRACKING TOOL



Vasculitis Foundation Canada Fondation Vasculites Canada contact@vasculitis.ca | www.vasculitis.ca 1-877-572-9474

CanVasc Canadian vasculitis research network admin@canvasc.ca | www.canvasc.ca

Reference ranges for lab results are based on Toronto's University Health Network and Mount Sinai Hospital. **Other lab centres may have different ranges.** Lab results and changes in treatment should always be reviewed and approved by your healthcare provider(s). Not every lab test needs to be performed. Your healthcare provider will decide which ones need to be monitored in your case.

DATE PERFORMED									
Hemoglobin (140-180 g/L)									
White blood cells (4-11 x10 ⁹ /L)									
Platelets (150-400 x10 ⁹ /L)									
ALT (<40 U/L)									
Serum creatinine (UHN 64-110 umol/L, MSH 45-80 for females, 55-105 for males)									
EGFR (estimated glomerular filtration rate) (260ml/min)									
ESR (erythrocyte sedimentation rate) (0-30 mm/hr)									
C-reactive protein (CRP) (UHN <11 mg/L, MSH <10mg/L)									
Urinalysis for protein via dip stick (normal = 0 or negative)									
Urinalysis for blood via dip stick (normal = 0 or negative)									
Urine ACR (albumin/creatinine ratio) (<2.9 mg/mmol/L)									
HBA1c (for diabetes monitoring)									
LDL cholesterol									
Others:									
Version 1.0 - Last updated May 2021 Frequency of lab tests can vary from every 2-4 weeks to every 3 months depending on disc									

VASCULITIS HEALTH TRACKING TOOL



Vasculitis Foundation Canada Fondation Vasculites Canada contact@vasculitis.ca | www.vasculitis.ca 1-877-572-9474

CanVasc Canadian vasculitis research network admin@canvasc.ca | www.canvasc.ca

You can use this tool to keep track of when certain tests, vaccinations and procedures were done.

DATE PERFORMED											
Imaging											
Bone density											
X-Rays											
CT scans											
MRIs											
Other											
Vaccinations	Ask your doctors for current vaccination guidelines, you may not get the desired vaccination protection if your daily dose of prednisone is greater than 15mg/day, or while on certain immunosuppressive medications. Live vaccines are to be avoided.										
Flu vaccine (every year)											
Tetanus (every 10 years)											
Pneumococcal (Prevnar & Pneumovax)											
Hepatitis B											
Shingles											
COVID-19 (Brand)											
Cancer screening											
Stool test (FOBT or FIT)											
Colonoscopy											
Mammogram (females)											
PAP test (females)											
PSA (males)											
Other tests/biopsies/surgeries related to your vasculitis											
Version 1.0 – Last updated May 2021											